

FlexisperseTM 450N

Overview

- Aqueous, fully neutralized sodium polyacrylate
- Multi-Functional ingredient enhances the performance and efficiency of cleaning formulations
- Sequesters hardness ions allowing for optimum surfactant performance
- Delivers excellent crystal growth inhibition, anti-encrustation, and antiredeposition of particulate soil
- Stable builder in high alkaline/bleach Industrial & Institutional cleaners
- Allows the end user to receive product at the highest % actives while conforming to DOT regulations
- Used in the manufacturing/processing of powdered laundry detergents as a slurry viscosity reducer, dispersing agent and powder structurant.
- Approved for use as a FIFRA inert ingredient under 40 CFR 180.960
- This prouct has been used in at least one formulation that has received Safer Choice approval
- WERCS ID number: WPS1208267
- WERCS Validation number: WPS1208267

Applications

- Co-Builder in Household and Institutional powder laundry detergents
- Performance additive for Auto Dish formulations
- Formulary additive for hard surface, bottle wash, ware washing and other I&I cleaning formulation applications
- Textile sour additive for dyeing and finishing of textiles
- General purpose dispersant for inorganic pigments and fillers including CaCO₃ and TiO₂

Technical Information

Flexisperse 450N is a fully neutralized sodium polyacrylate homopolymer sequesterant, dispersant, deflocculant and rheology modifier, optimized with an average molecular weight of 4000-5000 for use in warewashing, fabric wash and commercial detergent formulations.

Specifically designed for use in detergent formulations as a soil dispersant, anti-redeposition agent and hard water ion sequestrant, Flexisperse 450N is effective at slowing the buildup of fats and proteins on surfaces, increasing the solubility of precipitating salts, and at inhibiting crystal growth to prevent the formation of scale and hard water deposits.

With high caustic and hypochlorite stability, and the ability to bind destabilizing metals and reduce filming on surfaces, Flexisperse 450N is ideal for use as a soil dispersing and anti-soil redeposition agent in powdered warewash and CIP cleaning formulations.

Formulary

Typically added to formulations at 2-4% actives, the anionic character of the polymer serves to prevent the redeposition of particulate soil onto the washed garment and retards the encrustation of CaCO₃ from soda ash built formulations.

See Flexisperse 450ND as a high actives spray dried version, and 450 as a partially neutralized version.

Typical Properties

| PROPERTY | VALUE | |
|--|--------------------------|--|
| Appearance | Clear viscous liquid | |
| Color | Colorless to light amber | |
| Odor | Mild | |
| lonic character | Anionic | |
| Water solubility | Soluble | |
| Average molecular weight (Mw) | 4,000-5,000 | |
| Viscosity @25°C (Brookfield), MPa∙s/cps | 400-1000 | |
| Total solids, % | 44 to 46 | |
| pH (as is) | 6.0 to 8.0 | |
| Density@25°C, g/ml | 1.32±0.2 | |
| Boiling Point | 100°C | |
| Flash point | None (aqueous) | |
| Storage | Stable to freezing | |
| Shelf life | 12 months | |

Packaging and Handling

Flexisperse 450N is available in: Bulk (44,000 lbs) 275 gallon totes (Net Wt. 2750 lbs) 55 gallon plastic drums (Net Wt. 550 lbs)

Refer to the Safety Data Sheet (SDS) for information on the safe use, handling, and disposal of this product.

DOT Classification: Non-Regulated

Please refer to back page for important information

Whether you're looking for a replacement product or an ingredient for a specific attribute, give us a call. We can provide assistance based upon your particular formulation requirements and composition; please feel free to contact us.

Flexisperse 450N Formulation guidance

Clean-In-Place formulations

When formulated into Clean-In-Place cleaning formulations, Flexisperse 450N reduces surface filming by slowing the buildup of fats and proteins on surfaces, increasing the solubility of precipitating salts, and by inhibiting crystal growth to prevent the formation of scale and hard water deposits.

With high caustic and hypochlorite stability, and ability to disperse inorganic particles, Flexisperse 450N is ideal for use as a soil dispersing and anti-soil redeposition agent in warewash and CIP cleaning formulations.

Laundry formulations

This polymer was originally used as a production assist that allowed producers to disperse and feed higher solid slurries to the spray dryer, optimizing throughput and energy consumption. Legislation that reduced and ultimately eliminated Sodium Phosphates in detergents led to reformulation of many laundry formulations to a zeolite/ polyacrylate co-builder system for which the Flexisperse 450N was optimized. The combination of molecular weight and molecular weight distribution is designed for the effective sequestration of hardness ions in the wash water, allowing the surfactants in the cleaning formulation to work optimally.

The use of Flexisperse 450N will enhance the cleaning properties (clay soil removal) of laundry detergents based on both zeolite/soda ash and phosphate. The cleaning performance of any laundry detergent is inversely related to water hardness, and the use of a dispersant polymer such as Flexisperse 450N will help to offset the effect of the hardness.

Flexisperse dispersant polymers have the ability to reduce calcium carbonate deposition (encrustation) on laundry during the wash cycle. Even with very hard water (300 ppm calcium), adding 1 percent of Flexisperse 450N to a soda ashbased detergent will virtually eliminate encrustation.

To obtain an optimal effectiveness, Flexisperse 450N can be used in phosphate based or phosphate free detergents (carbonate, silicate, citrate or NTA-based) at levels between 250 and 1000 ppm in the wash baths for household applications and 100 to 500 ppm for institutional applications.

Example formulations

| Commercial Warewash Gel | | |
|------------------------------------|--------|--|
| Ingredient | Wt. % | |
| Water | to 100 | |
| Carbopol 672 | 0.5 | |
| Potassium Hydroxide, 45% | 10.0 | |
| Sodium Hydroxide, 50% | 30.0 | |
| Sodium Tripolyphosphate, Anhydrous | 15.0 | |
| Sodium AOS, 40% | 1.5 | |
| Flexisperse 450N | 6.0 | |
| Sodium Hypochlorite, 12.5% | 18.0 | |

Charge Carbopol to water with mixing to uniform dispersion. Charge remaining ingredients in order listed.

| Grease Releasing Liquid Laundry Concentrate | | |
|--|--------|--|
| Ingredient | Wt. % | |
| Water | to 100 | |
| Sodium carbonate (soda ash) | 1.0 | |
| Sodium AOS, 40% | 8.0 | |
| C11 alcohol, 7 mole ethoxylate | 8.0 | |
| C9-11 alcohol, 6 mole ethoxylate | 2.0 | |
| Flexisurf LDP | 9.0 | |
| Flexisperse 450N | 2.0 | |
| Tinopal CBS-X | 0.2 | |
| Triethanolamine/Citric acid | q.s. | |
| Ethanol | q.s. | |
| Dye, fragrance | q.s. | |
| | | |

Charge ingredients in order listed. Adjust pH to 8-9 with triethanolamine or citric acid, reduce viscosity with ethanol

An ICT Industries Inc. company

This information relates only to the specific material referred to herein and not to its use in combination with any other material or in any process, unless explicitly stated herein. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled; however, no warranty, guarantee or other representation is made as to its accuracy, reliability, or completeness, or regarding any liabilities arising from others' intellectual property rights. ID# 20200218

